

## COMPETITION/FITNESS

### TRIATHALON



912

The bicycle triathletes everywhere prefer. Miyata's frame building technology is exemplified in the 912. This top-of-the-series model features a splined triple-butted frame and front fork for a stronger frame without the added weight. Features include Shimano's New 600 EX Groupo drive train system with a biopace chain ring, larger seat stays, triathlon saddle and bald tires for less rolling resistance. Extras include water bottle with cage, toe clips and straps and tool kit. **Colors:** Sterling Black with Pink head tube. **Frame Sizes:** 50, 54, 57, 60, 63 cm. **Speeds:** 12

### TRIATHALON




310

An economical triathlon-engineered bicycle. Quick and responsive with a frame designed and built to withstand the rigors of competitive riding. Investment-cast seat lugs, 700c rims and spooned seat stays are just a few of the quality features you'll find on this model. **Colors:** Dark Platinum with Red head tube, Cream Teal with Silver head tube. **Frame Sizes:** 50, 54, 57, 60, 63 cm. **Speeds:** 12

### PISTA



The stiff ride of this Miyata track bicycle makes it ideal for those just beginning competitive riding. Chromoly double-butted tubing. Mangalight front fork and tapered seat stays combine with Sugino and Suntour components to make the Pista an exceptional track bicycle value. And it weighs in at a scant 20½ lbs. Extras include tools. **Color:** Pearl White with Black head tube. **Frame Sizes:** 50, 54, 57, 60, 63 cm.



FRAME SIZE	A	B	C	D	E	F
73°/30'	75°	535	397	587	977	
74°	75°	550	397	587	978	
74°	75°	565	397	592	982	
74°	75°	580	397	607	997	
74°	75°	580	397	607	997	

**FRAME MATERIAL:** MIYATA Chromoly double butted tubing, Chromoly oval chain stays, Chromoly wide tapered stays, MIYATA Professional Hi-Tension steel lugs and ANO FE-UFP forged ends. **FRONT FORK:** MIYATA 24mm round blades with Chromoly investment cast crown, reinforcement plates and SHIMANO UFP forged ends. **HEADSET:** Italian size. **HUB SIZE:** 100mm (F) x 120mm (Rear). **BOTTOM BRACKET:** English thread, width 68mm. **SEAT PILLAR:** 26.8mm diameter. **COLOR:** Bright Blue (B-114) **EXTRAS:** AH seat pin.

## TEAM MIYATA



FRAME SIZE	A	B	C	D	E	F
50cm	72°	73.75°	535	413	590	996
52cm	72°	74°	535	413	588	993
54cm	73°	74°	550	413	589	992
56cm	73°	74°	550	413	590	993
58cm	73°	74°	565	413	605	1008
60cm	73°	74°	580	413	620	1023
63cm	73°	74°	580	413	620	1023

**FRAME MATERIALS:** Cr-Mo triple butted Splayed tubing, Cr-Mo seat and chain stays, Miyata investment cast lugs, Shimano EF ends. **FRONT FORK:** Cr-Mo tubing, lost wax crown with reinforcement plates, Shimano UF ends. **HEADSET:** Italian size. **OVER LOCK NUT DIMENSION:** (F) 100 mm (R) 126 mm. **BOTTOM BRACKET:** English thread, width 68 mm. **SEAT POST DIAMETER:** 26.8 mm. **PARTS:** AH Seat pin, Rear end adjusting screws, AH bolts on bottle basements. **COLOR:** Team Blue with Black head tube. **BRAZED-ONS:** Campagnolo style shifter basements on down tube, Bottle basements on down tube and seat tube, F.D fixing bracket on seat tube, Brake basement on rear bridge, Chain hook on seat stay.

## PRO



FRAME SIZE	A	B	C	D	E	F
50cm	72°	74°	535	410	590	994
54cm	73°	74°	550	410	590	990
57cm	73°	74°	565	410	605	1005
60cm	73°	74°	580	410	620	1021
63cm	73°	74°	580	410	621	1021

**FRAME MATERIALS:** Cr-Mo triple butted Splayed tubing, Cr-Mo seat and chain stays, Miyata investment cast lugs, Suntour PRO ends. **FRONT FORK:** Cr-Mo tubing, lost wax crown with reinforcement plates, TFR forged ends. **HEADSET:** Italian size. **OVER LOCK NUT DIMENSION:** (F) 100mm (R) 126mm. **BOTTOM BRACKET:** English thread, width 68mm. **SEAT POST DIAMETER:** 26.8mm. **PARTS:** AH Seat pin, Rear end adjusting screws, AH bolts on bottle basements. **COLOR:** Pepper Red with Yellow head tube. **BRAZED-ONS:** Campagnolo style shifter basements on down tube, F.D fixing bracket on seat tube, Bottle basements on down tube and seat tube, Cable guides on bottom bracket shell, Brake basement on rear bridge, Chain hook on seat stay, Pump peg.

## 912



FRAME SIZE	A	B	C	D	E	F
50cm	71°	72.5°	535	420	589	1001
54cm	72°	73°	550	420	593	1003
57cm	73°	73°	565	420	600	1010
60cm	73°	73°	580	420	614	1024
63cm	73°	73°	580	420	615	1025

**FRAME MATERIALS:** Cr-Mo triple butted splayed tubing, Cr-Mo seat and chain stays, Miyata investment cast lugs, Shimano SF ends. **FRONT FORK:** Cr-Mo tubing, cast crown, TF forged ends. **HEADSET:** Italian size. **OVER LOCK NUT DIMENSION:** (F) 100 mm (R) 126 mm. **BOTTOM BRACKET:** English thread, width 68 mm. **SEAT POST DIAMETER:** 26.8 mm. **PARTS:** AH seat pin, Rear end adjusting screws, AH bolts on bottle basement. **COLOR:** Sterling Black with Pink head tube. **BRAZED-ONS:** Campagnolo style shifter basements on down tube, Bottle basements on down tube and seat tube, Cable guides on bottom bracket shell, Brake basement on rear bridge, Chain hook on seat stay, Pump peg.



SERIES	PROFESSIONAL RACING SERIES			COMPETITION/FITNESS SERIES				GRAND TOURING	
	TEAM MIYATA	OMNIUM ALUMINUM	PRO MIYATA	912	710	310	PISTA	1000	610
FRAME SIZES	50, 52, 54, 56, 58, 60, 63 cm	50, 54, 57, 61 cm	50, 54, 57, 60, 63 cm	50, 54, 57, 60, 63 cm	46, 50, 54, 57, 60, 63 cm	50, 54, 57, 60, 63 cm	50, 54, 57, 60, 63 cm	50, 54, 57, 60, 63 cm	46, 50, 54, 58, 63 cm
FRAME MATERIALS	Cr-Mo triple butted splined tubing. 16mm tapered seat stays. Cr-Mo oval chain stays. Inv. Cast. B.B.	Aluminum	Cr-Mo triple butted splined tubing. 16mm tapered seat stays. Cr-Mo oval chain stays.	Cr-Mo triple butted splined tubing. 16mm tapered seat stays and Cr-Mo oval chain stays.	Cr-Mo triple butted tubing. 16mm tapered seat stays and Cr-Mo oval chain stays.	Cr-Mo triple butted tubing. 16 mm tapered seat stays. Inv. Cast Seat Lug	Cr-Mo triple butted tubing.	Cr-Mo triple butted splined tubing. Cast lugs. 16mm tapered seat stays. Cr-Mo oval chain stays.	Cr-Mo triple butted tubing. 16mm tapered seat stays and oval chain stays.
FRONT FORK	Cr-Mo splined 24mm oval cast crown.	Aluminum	Cr-Mo 24mm oval chrome plated.	Cr-Mo 24mm oval tubing. Semi-sloping crown.	Cr-Mo tubing with semi-sloping crown.	Mangalight with semi-sloping crown.	Mangalight with semi-sloping crown.	Cr-Mo splined 24mm oval tubing. Semi-sloping crown.	Mangalight tubing. Italian style crown.
HEADSET	SHIMANO New Dura-Ace Sealed	SHIMANO New 600 EX Sealed	SUNTOUR Sealed	SHIMANO New 600EX Sealed	TANGE MES Sealed	TANGE MES Sealed	TANGE Nova	SHIMANO New 600EX Sealed	TANGE MES Sealed
DERAIL-LEURS	SHIMANO New Dura-Ace w/new Dura-Ace 515 shifter	SHIMANO New 600 EX w/GMG side mount shifter	SUNTOUR Sprint	SHIMANO New 600 EX w/GMG side mount shifter	SUNTOUR New Cyclone w/top-mount shifter	SHIMANO 105 w/GMG top mount shifter	—	SHIMANO (F) Deore XT-GS (R) Deore XT-SP SLZ-408 shifter	SHIMANO (F) Z-206-GS (R) L-523-SGS w/L-422 shifter
CLUSTER	SHIMANO New Dura-Ace 6 speed 13-18 teeth	SHIMANO New 600 EX 6 speed 13-24 teeth	SUNTOUR Winner Pro 7 speed 13-21 teeth	SHIMANO New 600 EX 6 speed 13-24 teeth sealed	SUNTOUR 6 speed 13-26 teeth Gold	SHIMANO UG 6 speed 14-28 teeth Black	SUNTOUR 15-tooth sprocket	SHIMANO New 600 EX 6 speed 14-28 teeth sealed	SHIMANO UG 6 speed 14-28 teeth Gold
CHAIN	SHIMANO Dura-Ace UG Nickel Finish	SHIMANO 600 UG Silver/Black	SUNTOUR Pro Silver/Blue	SHIMANO 600 UG Silver/Black	SUNTOUR Z Gold/Black	SHIMANO-UG Black	DID TRACK	SHIMANO 600 UG Silver/Black	SHIMANO 600 UG Gold/Black
CRANK SET	SHIMANO New Dura-Ace 53x42 teeth Sealed	SHIMANO New 600 EX 52x42 Biopace ring	SUNTOUR Sprint 53x42 teeth Sealed	SHIMANO New 600 EX 52x42 teeth Bio. ring sealed	SUGINO GS-LP 52x42 teeth Sealed	MIYATA SIGNATURE SUC-100 52x42 teeth	SUGINO Astron track 50 teeth	SHIMANO New 600EX 50x44x28 teeth Bio. ring sealed	SHIMANO 50x44x28 teeth Biopace ring
PEDALS	SHIMANO New Dura-Ace Sealed	SHIMANO New 600 EX Sealed	SUNTOUR Sprint Sealed	SHIMANO New 600 EX Sealed	MKS Esquartz 102	SR SP-250	MKS Sylvan Track	SR SP-155 Sealed	SR SP-155 Sealed
TIRES	MIYATA Tubular 230g.	National Triport 700x20c SSW Dual Hard Nylon	MIYATA KEVLAR Belted 700x23c SSW 100 lbs. 300g. Bald Type	MIYATA RECORD Nylon Belted 700x25c SSW 100 lbs. 270g. Bald Type	MIYATA GRAND SPORT Nylon Belted 700x25c SSW 100 lbs. 270g. Dual Hard Tread	MIYATA GRAND SPORT 700x28c SSW 100 lbs. 320g. Dual Hard Tread	MIYATA Leger Tubular 230g.	MIYATA Radial Grand Touring 700x32c SSW 70-80 lbs. 360g Dual Hard Tread	MIYATA Radial Grand Touring Nylon Belted 700x32c SSW 70-80 lbs. 360g Dual Hard Tread
RIMS	MAVIC GP-4	ARAYA 700c Anodized	ARAYA Model 20-A 700C Grey Hard Anodized	UKAI Model 20-A 700C Hard Anodized	UKAI Model 20-A 700C GMG Hard Anodized	UKAI Model 20-A 700C GMG/Silver	ARAYA 16-B	UKAI LA-14 36H/40H 700c Black/Silver	UKAI LA-14 36H/40H 700c Anodized
BRAKE SET*	SHIMANO New Dura-Ace	SHIMANO New 600 EX	SUNTOUR Sprint Aero Levers	SHIMANO New 600 EX	DIA-COMPE GX-400 Aero Levers	SHIMANO BR-Z 570 Q.R. Tire Guides with hooded levers	—	SHIMANO DEORE XT Cantilever w/hooded levers	SHIMANO AT-50 Cantilever w/hooded levers
HUBS	SHIMANO New Dura-Ace Q.R.	SHIMANO New 600 EX Sealed Q.R.	SUNTOUR Sprint Sealed Q.R.	SHIMANO New 600 EX Sealed Q.R.	SANSIN Gyro-Master Sealed Q.R.	SHIMANO HB-AQ11 Sealed Q.R.	SUNTOUR Sprint Track	SANSIN Gyro-master Sealed Q.R. 36x40	SANSIN Gyro-master Sealed Q.R. 36x40
SPOKES	14x15G double butted stainless	14G	14x15G double butted stainless	14G stainless	14G stainless	14G stainless	15 G	14G stainless	14G stainless
SADDLE	SELLE ITALIA Super Turbo	SELLE ITALIA TURBO TRIATHLON	SELLE ITALIA Turbo	SELLE ITALIA TURBO Triathlon	SELLE ROYAL Dolphin Crosta	SELLE ROYAL Dolphin Vinyl	ARIAKE 77C-DX Vinyl	VETTA MAXI Crosta	SELLE ROYAL Anatomic Crosta
SEAT PILLAR	SHIMANO Dura-Ace EX	SR CRE	SR CR-E	SUGINO SPK	SR CT-P5E	SR CT-P5E	SR CT-P5E	SR CR-E	SR CT-P5E
HANDLE BAR	NITTO 55F Alloy	NITTO Triathlon	NITTO 55F Alloy	MIYATA SIGNATURE Alloy	MIYATA SIGNATURE Alloy	MIYATA SIGNATURE Alloy	NITTO Olympiad B115 Alloy	SR RANDONNEUR Alloy	SR RANDONNEUR Alloy
STEM	NITTO Technomic-Aero Anodized Black	NITTO NTC	NITTO Technomic-Aero Anodized	SR AEROX Anodized	SR CUSTOM Alloy	SR CUSTOM Alloy	NITTO Technomic-Aero	SR AEROX	SR CUSTOM Alloy
HANDLE BAR TAPE	Shiny Vinyl	Cushioned Vinyl	Shiny Vinyl	Shiny Vinyl	Shiny Vinyl	Shiny Vinyl	CATEYE Cotton	Cushion Rubber Grips	Cushion Rubber Grips
EXTRAS	Water Bottle w/cage. Toe clips & straps. Protective Clear Coat	Water Bottle & cage. Toe clips & straps. Frame pump Protective Clear Coat	Water Bottle w/cage. Toe clips & straps. Protective Clear Coat	Water Bottle w/cage. Toe clips & straps. Protective Clear Coat	Toe clips & straps. Protective Clear Coat	Toe clips & straps. Protective Clear Coat	—	Water Bottle w/ cage. Toe clips & straps. Black Anodized alloy carrier. Internal wiring. Protective Clear Coat	Toe clips & straps. Alloy carrier. Protective Clear Coat
APPROX. WEIGHT	21.5 lbs.	21.5 lbs.	23 lbs.	23.2 lbs.	23.5 lbs.	24 lbs.	20.5 lbs.	26.6 lbs.	26.6 lbs.
COLORS	Bright Blue #B-114 (Black Head)	White #W-83	Pepper Red #R-188 (Yellow Head)	Sterling Black #K-18 (Pink Head)	Pepper Red #R-188 (Silver Head) Steel Blue #B-168 (Yellow Head)	Dark Platinum #S-11 (Red Head) Cream Teal #B-172 (Silver Head)	Pearl White #W-75B (Black Head)	Royal Platinum #S-14 (Gold Head)	Claret Red #R-190 (Silver Head)

\*All Miyata brake cables have an inner liner for smooth operation of the brake.  
Bicycle weights based on 21" or 54 cm frame size.